



LUMEN CENTER

Luminaire


Code EGO XXL
Name EGO XXL - Suspension lamp - CRI90 2700K - 40W

Measurem.

Code EGO XXL
Name EGO XXL - Suspension lamp - CRI90 2700K - 40W


Luminaire Flux	3466 lm	Luminaire Power	40.0 W	Efficacy	86.640 lm/W	Efficiency	100.00%
Source Flux	3466 lm	Maximum value	394.87 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical

2009mm x 45mm



C Halfplanes

180.0 ————— 0.0
270.0 - - - - - 90.0





LUMEN CENTER

Luminaire

Code EGO XXL

Name EGO XXL - Suspension lamp - CRI90 2700K - 40W

Measurem.

Code EGO XXL


Name EGO XXL - Suspension lamp - CRI90 2700K - 40W

Luminaire Flux	3466 lm	Luminaire Power	40.0 W	Efficacy	86.640 lm/W	Efficiency	100.00%
Source Flux	3466 lm	Maximum value	394.87 cd/klm	Position	C=0.00 G=0.00	CG Double Symmetrical	

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.17	2.33	3.50	4.67	5.83	OC	1.25	2.50	3.75	5.00	6.25
OB	1.17	2.33	3.50	4.67	5.83	OD	1.25	2.50	3.75	5.00	6.25

	0	5	15	25	35	45	55	65	75	85
OA	1368.46	1358.20	1283.14	1146.11	968.54	772.46	574.51	383.67	202.82	53.37
OB	1368.46	1358.20	1283.14	1146.11	968.54	772.46	574.51	383.67	202.82	53.37
OC	1368.46	1359.66	1292.40	1168.18	1003.06	812.23	611.04	409.67	215.44	58.10
OD	1368.46	1359.66	1292.40	1168.18	1003.06	812.23	611.04	409.67	215.44	58.10



H[m]	D[m]	Max lux	Med lux	Alpha=49.4°+49.4°	G=0.0	
1.00	2.33	1368	413			
2.00	4.67	342	103			
3.00	7.00	152	46			
4.00	9.34	86	26			
5.00	11.67	55	17			

H[m]	D[m]	Max lux	Med lux	Beta=51.4°+51.4°	G=0.0	
1.00	2.50	1368	413			
2.00	5.00	342	103			
3.00	7.50	152	46			
4.00	10.01	86	26			
5.00	12.51	55	17			



LUMEN CENTER

Luminaire

Code EGO XXL
Name EGO XXL - Suspension lamp - CRI90 2700K - 40W

Measurem.

Code EGO XXL
Name EGO XXL - Suspension lamp - CRI90 2700K - 40W

Luminaire Flux	3466 lm	Luminaire Power	40.0 W	Efficacy	86.640 lm/W	Efficiency	100.00%
Source Flux	3466 lm	Maximum value	394.87 cd/klm	Position	C=0.00 G=0.00	CG Double Symmetrical	

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.00m

