



LUMEN CENTER

Luminaire

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 2700K - 40W


Measurem.

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 2700K - 40W


Luminaire Flux	3557 lm	Luminaire Power	40.0 W	Efficacy	88.925 lm/W	Efficiency	100.00%
Source Flux	3557 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG Double Symmetrical	

2090mm x 20mm

C Halfplanes



180.0 ————— 0.0
270.0 - - - - - 90.0





LUMEN CENTER

Luminaire

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 2700K - 40W

Measurem.


Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 2700K - 40W

Luminaire Flux	3557 lm	Luminaire Power	40.0 W	Efficacy	88.925 lm/W	Efficiency	100.00%
Source Flux	3557 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG	Double Symmetrical

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.42	2.84	4.26	5.68	7.10	OC	2.76	5.51	8.27	11.03	13.78
OB	1.42	2.84	4.26	5.68	7.10	OD	2.76	5.51	8.27	11.03	13.78

	0	5	15	25	35	45	55	65	75	85
OA	1121.42	1105.89	1082.12	1012.30	888.53	733.78	557.79	350.87	21.96	12.93
OB	1121.42	1105.89	1082.12	1012.30	888.53	733.78	557.79	350.87	21.96	12.93
OC	1121.42	1132.88	1134.29	1093.98	1024.54	930.26	815.10	663.59	435.80	108.30
OD	1121.42	1132.88	1134.29	1093.98	1024.54	930.26	815.10	663.59	435.80	108.30



H[m]	D[m]	Max lux	Med lux	Alpha=54.8°+54.8°	G=0.0	
1.00	2.84	1125	187			
2.00	5.68	281	47			
3.00	8.51	125	21			
4.00	11.35	70	12			
5.00	14.19	45	7			

H[m]	D[m]	Max lux	Med lux	Beta=70.1°+70.1°	G=0.0	
1.00	5.51	1125	187			
2.00	11.03	281	47			
3.00	16.54	125	21			
4.00	22.05	70	12			
5.00	27.57	45	7			



LUMEN CENTER

Luminaire

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 2700K - 40W

Measurem.

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 2700K - 40W

Luminaire Flux	3557 lm	Luminaire Power	40.0 W	Efficacy	88.925 lm/W	Efficiency	100.00%
Source Flux	3557 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG Double Symmetrical	

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.00m

