



LUMEN CENTER

Luminaire

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 3000K - 40W


Measurem.

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 3000K - 40W


Luminaire Flux	3744 lm	Luminaire Power	40.0 W	Efficacy	93.600 lm/W	Efficiency	100.00%
Source Flux	3744 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG	Double Symmetrical

2090mm x 20mm

C Halfplanes



180.0 ————— 0.0
270.0 - - - - - 90.0





LUMEN CENTER

Luminaire

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 3000K - 40W

Measurem.


Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 3000K - 40W

Luminaire Flux	3744 lm	Luminaire Power	40.0 W	Efficacy	93.600 lm/W	Efficiency	100.00%
Source Flux	3744 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG	Double Symmetrical

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.42	2.84	4.26	5.68	7.10	OC	2.76	5.51	8.27	11.03	13.78
OB	1.42	2.84	4.26	5.68	7.10	OD	2.76	5.51	8.27	11.03	13.78

	0	5	15	25	35	45	55	65	75	85
OA	1180.38	1164.03	1139.01	1065.52	935.25	772.36	587.11	369.32	23.12	13.61
OB	1180.38	1164.03	1139.01	1065.52	935.25	772.36	587.11	369.32	23.12	13.61
OC	1180.38	1192.43	1193.92	1151.49	1078.41	979.17	857.95	698.48	458.71	113.99
OD	1180.38	1192.43	1193.92	1151.49	1078.41	979.17	857.95	698.48	458.71	113.99



H[m]	D[m]	Max lux	Med lux	Alpha=54.8°+54.8°	G=0.0	
1.00	2.84	1184	197			
2.00	5.68	296	49			
3.00	8.51	132	22			
4.00	11.35	74	12			
5.00	14.19	47	8			

H[m]	D[m]	Max lux	Med lux	Beta=70.1°+70.1°	G=0.0	
1.00	5.51	1184	197			
2.00	11.03	296	49			
3.00	16.54	132	22			
4.00	22.05	74	12			
5.00	27.57	47	8			



LUMEN CENTER

Luminaire

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 3000K - 40W

Measurem.

Code MORGANA L
Name MORGANA L - Suspension lamp - CRI90 3000K - 40W

Luminaire Flux	3744 lm	Luminaire Power	40.0 W	Efficacy	93.600 lm/W	Efficiency	100.00%
Source Flux	3744 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG	Double Symmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.00m

