



LUMEN CENTER

Luminaire


Code MORGANA S
Name MORGANA S - Suspension lamp - CRI90 3000K - 28W

Measurem.


Code MORGANA S
Name MORGANA S - Suspension lamp - CRI90 3000K - 28W

Luminaire Flux	2621 lm	Luminaire Power	28.0 W	Efficacy	93.589 lm/W	Efficiency	100.00%
Source Flux	2621 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG	Double Symmetrical

1430mm x 20mm



C Halfplanes





LUMEN CENTER

Luminaire

Code MORGANA S
Name MORGANA S - Suspension lamp - CRI90 3000K - 28W

Measurem.


Code MORGANA S
Name MORGANA S - Suspension lamp - CRI90 3000K - 28W

Luminaire Flux	2621 lm	Luminaire Power	28.0 W	Efficacy	93.589 lm/W	Efficiency	100.00%
Source Flux	2621 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG	Double Symmetrical

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.42	2.84	4.26	5.68	7.10	OC	2.76	5.51	8.27	11.03	13.78
OB	1.42	2.84	4.26	5.68	7.10	OD	2.76	5.51	8.27	11.03	13.78

Luminous Intensities [cd/klm]										
	0	5	15	25	35	45	55	65	75	85
OA	826.17	814.73	797.22	745.78	654.60	540.59	410.93	258.49	16.18	9.53
OB	826.17	814.73	797.22	745.78	654.60	540.59	410.93	258.49	16.18	9.53
OC	826.17	834.61	835.65	805.95	754.80	685.34	600.50	488.88	321.06	79.79
OD	826.17	834.61	835.65	805.95	754.80	685.34	600.50	488.88	321.06	79.79



H[m]	D[m]	Max lux	Med lux	Alpha=54.8°+54.8°	G=0.0	
1.00	2.84	829	138			
2.00	5.68	207	34			
3.00	8.51	92	15			
4.00	11.35	52	9			
5.00	14.19	33	6			

H[m]	D[m]	Max lux	Med lux	Beta=70.1°+70.1°	G=0.0	
1.00	5.51	829	138			
2.00	11.03	207	34			
3.00	16.54	92	15			
4.00	22.05	52	9			
5.00	27.57	33	6			



LUMEN CENTER

Luminaire

Code MORGANA S
Name MORGANA S - Suspension lamp - CRI90 3000K - 28W

Measurem.

Code MORGANA S
Name MORGANA S - Suspension lamp - CRI90 3000K - 28W

Luminaire Flux	2621 lm	Luminaire Power	28.0 W	Efficacy	93.589 lm/W	Efficiency	100.00%
Source Flux	2621 lm	Maximum value	319.50 cd/klm	Position	C=90.00 G=11.00	CG	Double Symmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.00m

